	Application No.	Applicant(s)
Notice of Allowability	10/705,653	WEIGAND, MICHAEL
	Examiner	Art Unit
	David M. Fenstermacher	3682
	David W. Fenstermacher	.3002
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communica GHTS. This application is subjection	s application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to <u>RCE filed 10/6/06</u> .	•	•
2. X The allowed claim(s) is/are <u>1-7</u> .		
 3.).
 Certified copies of the priority documents have 		
2. Certified copies of the priority documents have		
Copies of the certified copies of the priority doc	cuments have been received in	this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give 		
5. CORRECTED DRAWINGS (as "replacement sheets") must	t be submitted.	
(a) ☐ including changes required by the Notice of Draftsperso	on's Patent Drawing Review (P	PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in t	he Office action of •
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the d ne header according to 37 CFR 1.	rawings in the front (not the back) of 121(d).
 DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F 		
•		
		•
Attachment(s)	<u>_</u>	
1. Notice of References Cited (PTO-892)	- .	nal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sumn Paper No./Mai	
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0		endment/Comment
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Sta	tement of Reasons for Allowance
of Biological Material	9.	
•		

Application/Control Number: 10/705,653

Art Unit: 3682

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The claims are still allowable over the art of record as stated in the Reasons for Allowance of 8/14/06.

Information Disclosure Statement

2. The IDS, filed 10/6/06, has been considered in full.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David M. Fenstermacher whose telephone number is 571-272-7102. The examiner can normally be reached on 10:30-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on 571-272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/705,653

Art Unit: 3682

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David M. Fenstermacher Primary Examiner

Art Unit 3682